

Haier Biomedical

Intelligent Protection of Life Science

haiermedical.co.nz



HYC-390F



Low Noise



Large Space,
Superior Uniformity



Environmentally
Friendly

Pharmacy Refrigerator

Scope of Application

This product is suitable for pharmacy, pharmaceutical manufacturers, anti-epidemic stations, health centers and hospitals as key examples, which is used to store biological products and articles that need to be stored at 2~8°C.

Innovative Design

- Frequency Conversion Energy Saving
- Stable performance, multiple alarm modes
- Self Closing Door with 90° Stay Open Feature

Qingdao Haier Biomedical Co.,Ltd.

Aotearoa NZ: CCAT Scientific
Website: haiermedical.co.nz
0800 222 812



Haier Biomedical
International



Haier Biomedical
International



@haiermedicalint



Haier Biomedical
International



Haier Biomedical
International

Product Features



Frequency Conversion Energy Saving

Variable frequency compressor with optimized cooling system, more energy efficient.



Environmentally Friendly

Hydrocarbon compressor and refrigerant, the refrigerant does not contain any fluorine or chlorine which is super friendly to the environment.



Large Space, Superior Uniformity

The space is efficiently used, and the utilization rate is high and the temperature uniformity is $\pm 3^{\circ}\text{C}$



Low Noise

Optimized system and noise reduction design to reduce the noise level to 43dB (A).



Precise Temperature Control



Microprocessor Control System



Stable Performance, Multiple Alarm Modes

Three alarm modes (light, sound, remote); six types of alarm.



Self Closing Door with 90° Stay Open Feature



Security Lock

Specifications



Model		HYC-390F		
Technical Data	Cabinet Type	Upright, Single door		
	Climate Class	N		
	Cooling Type	Forced Air Cooling		
	Defrost Mode	Auto		
	Refrigerant	HC		
	Noise (dB (A))	43	43	
Performance	Temperature Range (°C)	2-8		
Control	Controller	Microprocessor		
	Display	LED		
Electrical Data	Power Supply (V/Hz)	220~240/50/60	115/60	
	Electrical Current (A)	1	1.5	
Dimensions	Capacity (L/Cu.Ft)	390/13.8		
	Net/Gross Weight (approx)	(kg)	106/129	
		(lbs)	233.8/284.5	
	Interior Dimension (W*D*H)	(mm)	530*555*1380	
		(in)	20.9*21.9*54.3	
	Exterior Dimension (W*D*H)	(mm)	665*710*1965	
		(in)	26.2*28.0*77.4	
	Packing Dimension (W*D*H)	(mm)	710*810*2130	
(in)		27.6*31.9*83.9		
	Container Load (20'/40'/40'H)	22/44/44		
Alarms	High/Low Temperature	Y		
	Remote Alarm	Y		
	Power Failure	Y		
	Sensor Error	Y		
	Low Battery	Y		
	Door Ajar	Y		
Accessories	Caster	Y		
	Foot	Y		
	Porthole	Y		
	Shelves/Drawers	7/-		
	USB Interface	Optional	Y	
	Printer	Optional		
Other	Certificate	CE	UL	

*Haier Biomedical reserves the right to change products and specifications without prior notice.

Aotearoa NZ: CCAT Scientific Website: ccat.co.nz
AND haiermedical.co.nz 0800 222 812